

HIGH PRESSURE CLEANING

Electric High Pressure Washing Machine

HL-3600MA



Product Description

- Performance-approved aluminum cage motor, fan cooling, IP 55.7.5KW, voltage and frequency for options.
- Heavy-duty triplex pump with pressure loader valve, 3/8 out.
- 8mm (5/16in)*10m (30ft) steel braid high-pressure hose, 3/8 in
- Professional trigger gun with quick disconnect nozzles, spray patterns 0°, 25°, 40° and 60°.
- Pressure gauge options.



Professional trigger gun

Ordering Information

Catalog No.	Model No.	Description
2061810	HL-2800MA	2800 psi electric high pressure washing machine with 2 wheels, AC380V
2061910	HL-3100MA	3100 psi electric high pressure washing machine with 2 wheels, AC380V
2062110	HL-3600MA	3600 psi electric high pressure washing machine with 2 wheels, AC380V
2062210	HL-4000MA	4000 psi electric high pressure washing machine with 2 wheels, AC380V



8M high-pressure hose

Specifications

Model No.	Max Pressure: psi/bar	Flow Rate: Gpm /Lpm	R. P. M	Plunger Diameter	Stroke	Power	High Pressure Hose	N. W /G. W:KG	Carton Dimension
HL-2800MA	2800 /193	2.5 /10	1440	15mm	4KW	4KW	8mm×10m	51/55	69×40×50cm
HL-3100MA	3100 /213	3.0 /11	1440	18mm	5.5KW	5.5KW	8mm×10m	75/80	85×46×48cm
HL-3600MA	3600 /248	3.7 /14	1440	18mm	7.5KW	7.5KW	8mm×10m	80/85	85×46×48cm
HL-4000MA	4000 /275	5.8 /22	1440	22mm	11KW	11KW	10mm×10m	100/105	85×46×54cm

HIGH PRESSURE CLEANING

Electric High Pressure Washing Machine

Specifications

Model No.	Max Pressure: psi/bar	Flow Rate: Gpm /Lpm	R. P. M	Plunger Diameter	Stroke	Power	High Pressure Hose	N. W /G. W:KG	Carton Dimension
HL-2800MB-25	2800 /193	6.5 /25	1440	22mm	13mm	7.5KW	10mm×10m	90/95	85×46×54cm
HL-3100MB	3100 /213	3.0 /11	1440	18mm	10mm	5.5KW	8mm×10m	75/80	85×46×54cm
HL-3600MB	3600 /248	3.7 /14	1440	18mm	12mm	7.5KW	8mm×10m	80/85	85×46×54cm

Ordering Information

Catalog No.	Model No.	Description
2062010	HL-2800MB-25	2800 psi electric high pressure washing machine with 2 wheels, AC380V
2061910	HL-3100MA	3100 psi electric high pressure washing machine with 2 wheels, AC380V
2062110	HL-3600MA	3600 psi electric high pressure washing machine with 2 wheels, AC380V
2062210	HL-4000MA	4000 psi electric high pressure washing machine with 2 wheels, AC380V



HL-3600MB

Specifications

- Model: HL-1309M
- Max Pressure: 1800psi /130bar
- Flow Rate: 2.4Gpm /9.2Lpm
- R. P. M: 2800
- Plunger Diameter: 14mm
- Stroke: 7mm
- Power: 2.2KW
- High Pressure Hose: 6mm×8m
- N. W /G. W: 33/36KG
- Carton Dimension: 66×42×36CM



HL-1309M



Professional trigger gun



8M high-pressure hose

Ordering Information

Catalog No.	Model No.	Description
2081310	HL-1309M	1800 psi electric high pressure washing machine with 2 wheels, AC220V
2081311	HL-1309M	1800 psi electric high pressure washing machine with 2 wheels, AC110V (MOQ: 20sets)
2081312	HL-1309M	1800 psi electric high pressure washing machine with 2 wheels, AC240V (MOQ: 20sets)

HIGH PRESSURE CLEANING

Electric High Pressure Washing Machine

Specifications

Model No.	Max Pressure: psi/bar	Flow Rate: Gpm /Lpm	R. P. M	Plunger Diameter	Stroke	Power	High Pressure Hose	N. W / G. W:KG	Carton Dimension
HL-2200MB	2200 /150	2.4 /9.2	1440	15mm	10mm	2.2/ 3.0KW	8mm×10m	48/53	74×38×42cm
HL-2200MB	1200 /80	4.0 /15	1440	18mm	14mm	2.2/ 3.0KW	8mm×10m	48/53	74×38×42cm

Ordering Information

Catalog No.	Model No.	Description
2081610	HL-2200MB (3KW)	2200 psi electric washing machine, AC380V
2081611	HL-2200MB (2.2KW)	2200 psi electric washing machine, AC220V
2081612	HL-2200MB (2.2KW)	2200 psi electric washing machine, AC110V (MOQ: 20sets)
2081613	HL-2200MB (2.2KW)	2200 psi electric washing machine, AC240V (MOQ: 20sets)
2081710	HL-R2200MB (3KW)	1200 psi electric washing machine, AC380V
2081711	HL-R2200MB (2.2KW)	1200 psi electric washing machine, AC220V
2081712	HL-R2200MB (2.2KW)	1200 psi electric washing machine, AC110V (MOQ: 20sets)
2081713	HL-R2200MB (2.2KW)	1200 psi electric washing machine, AC240V (MOQ: 20sets)



Specifications

Model No.	Max Pressure: psi/bar	Flow Rate: Gpm /Lpm	R. P. M	Plunger Diameter	Stroke	Power	High Pressure Hose	N. W / G. W:KG	Carton Dimension
HL-2200M/G	2200 /150	2.4 /9.2	1440	15mm	10mm	3.0KW	8mm×10m	48/53	74×38×42cm
HL-2200M/G	1200 /80	4.0 /15	1440	18mm	14mm	2.2KW /3.0KW	8mm×10m	48/53	74×38×42cm

Ordering Information

Catalog No.	Model No.	Description
2072210	HL-2200M/G (3KW)	2200 psi electric washing machine, AC380V
2072211	HL-2200M/G (2.2KW)	2200 psi electric washing machine, AC220V
2072212	HL-2200M/G (2.2KW)	2200 psi electric washing machine, AC110V (MOQ: 20sets)
2072213	HL-2200M/G (2.2KW)	2200 psi electric washing machine, AC240V (MOQ: 20sets)
2072214	HL-2200M/G (3KW)	1200 psi electric washing machine, AC380V
2072215	HL-2200M/G (2.2KW)	1200 psi electric washing machine, AC220V
2072216	HL-2200M/G (2.2KW)	1200 psi electric washing machine, AC110V (MOQ: 20sets)
2072217	HL-2200M/G (2.2KW)	1200 psi electric washing machine, AC240V (MOQ: 20sets)



HIGH PRESSURE CLEANING

Electric High Pressure Washing Machine

Specifications

- Model: HL-1800M
- Max Pressure: 1200psi /80bar
- Flow Rate: 2.8Gpm/10.7Lpm
- R. P. M: 2800
- Plunger Diameter: 15mm
- Stroke: 7mm
- Power: 2.2KW
- High Pressure Hose: 8mm×10m
- N. W/G. W: 36/39KG
- Carton Dimension: 61×44×40CM



Ordering Information

Catalog No.	Model No.	Description
2081410	HL-1800M	1200 psi electric high pressure washing machine with 2 wheels, AC220V
2081411	HL-1800M	1200 psi electric high pressure washing machine with 2 wheels, AC110V (MOQ: 20sets)
2081412	HL-1800M	1200 psi electric high pressure washing machine with 2 wheels, AC240V (MOQ: 20sets)

Specifications

- Model: HL-1022M
- Max Pressure: 1500psi /100bar
- Flow Rate: 3.9Gpm/15Lpm
- 5.2Gpm/20Lpm
- R. P. M: 1450
- Plunger Diameter: 22mm
- Stroke: 9mm/11mm
- Power: 3.0/4.0KW
- High Pressure Hose: 8mm×10m
- N. W/G. W: 60/64KG
- Carton Dimension: 80×43×43CM



Ordering Information

Catalog No.	Model No.	Description
2082810	HL-1022M (4KW)	1500 psi electric high pressure washing machine with 2 wheels, AC380V
2082811	HL-1022M (3KW)	1500 psi electric high pressure washing machine with 2 wheels, AC220V
2082812	HL-1022M (3KW)	1500 psi electric high pressure washing machine with 2 wheels, AC110V (MOQ: 20sets)
2082813	HL-1022M (3KW)	1500 psi electric high pressure washing machine with 2 wheels, AC240V (MOQ: 20sets)

HIGH PRESSURE CLEANING

Electric High Pressure Washing Machine

Specifications

Model No.	Max Pressure: psi/bar	Flow Rate: Gpm /Lpm	R. P. M	Plunger Diameter	Stroke	Power	High Pressure Hose	N. W / G. W:KG	Carton Dimension
HL-5040M	750 /50	10.5/40	750	28mm	22mm	3.0KW	10mm×10m	58/62	80×48×40cm
HL-5030M	560 /40	7.9/30	680			2.2KW	10mm×10m	54/58	80×48×40cm

Ordering Information

Catalog No.	Model No.	Description
2082910	HL-5040M (3KW)	750 psi electric high pressure washing machine, AC380V
2082911	HL-5030M (2.2KW)	560 psi electric high pressure washing machine, AC220V
2082912	HL-5030M (2.2KW)	560 psi electric high pressure washing machine, AC110V (MOQ: 20sets)
2082913	HL-5030M (2.2KW)	560 psi electric high pressure washing machine, AC240V (MOQ: 20sets)



Specifications

- Model: HL-1200M
- Max Pressure: 1000psi / 70bar
- Flow Rate: 2.1Gpm / 8Lpm
- R. P. M: 2800
- Plunger Diameter: 12mm
- Stroke: 8mm
- Power: 1.1KW
- High Pressure Hose: 6mm×9m
- N. W /G. W: 16/18KG
- Carton Dimension: 45×32×31CM

HL-1200M



Professional trigger gun



9M high-pressure hose

Ordering Information

Catalog No.	Model No.	Description
2061510	HL-1200M	1000 psi electric high pressure washing machine with 2 wheels, AC220V
2061511	HL-1200M	1000 psi electric high pressure washing machine with 2 wheels, AC110V (MOQ: 100sets)
2061512	HL-1200M	1000 psi electric high pressure washing machine with 2 wheels, AC240V (MOQ: 100sets)

HIGH PRESSURE CLEANING

Electric High Pressure Washing Machine



DQX-35

Features for Washing Machines

- High efficiency with low power consumption
- Steady pressure out-put, guarantee steady working performance
- Light weight and portable with compact structure
- Suitable for various water-washing related applications

Product Description

- With brass single outlet cylinder
- Brass piston pump
- Metal gun with nozzle
- Standard with pressure gauge
- Auto shutoff function options
- Trigger gun options



DX-40

Specifications

Model No.	DQX-35	DX-40	DQX-60
Pressure	35bar /500psi	35bar/500psi	40bar /580psi
Flow Rate	2.9Lpm /0.74Gpm	7.5Lpm /1.92Gpm	6Lpm /2.4Gpm
R. P. M	1440r/min	1430r/min	1430r/min
Plunger Diameter	25mm	20mm	25mm
Stroke	4mm	7mm	4mm
Pump	brass piston pump	brass piston pump	brass piston pump
Drive	Direct	Direct	Direct
Power	250W	370W	400W
High Pressure Gun	Metal Gun	Metal Gun	Metal Gun
High Pressure Hose	Φ14mmx10m	Φ14mmx10m	Φ14mmx10m
Size	39×29×29cm	35×28×29cm	39×29×29cm
N. W/G. W:	13/14kg	12/13kg	17/18kg



DQX-60

Ordering Information

Catalog No.	Model No.	Description
2091111	DQX-35	500psi electric high pressure washing machine, AC220V
2091110	DQX-35	500psi electric high pressure washing machine, AC110V
2091112	DQX-35	500psi electric high pressure washing machine, AC240V
2091011	DX-40	500psi electric high pressure washing machine, AC220V
2091010	DX-40	500psi electric high pressure washing machine, AC110V
2091012	DX-40	500psi electric high pressure washing machine, AC240V
2091211	DQX-60	580psi electric high pressure washing machine, AC220V
2091210	DQX-60	580psi electric high pressure washing machine, AC110V
2091212	DQX-60	580psi electric high pressure washing machine, AC240V

HIGH PRESSURE CLEANING

Pressure Guns for Selection



HIGH PRESSURE CLEANING

Pressure Hoses for Selection

