

Diesel High Pressure Washing Machine

HL-3600D

Product Description

- Heavy-duty triplex pump with pressure loader valve, 3/8 out.
- 8mm (5/16in)×10m (30ft) steel braid high-pressure hose, 3/8 in
- Professional trigger gun with quick disconnect nozzles, spray patterns 0°, 15°, 25°, 40°and 60°.
- 13HP Key-start diesel engine
- Pressure gauge optional

Specifications

- Model: HL-3600D
- Max Pressure: 3600psi /248bar
- Flow Rate: 4.8Gpm /18Lpm
- R. P. M: 3400
- Plunger Diameter: 15mm
- Stroke: 10mm
- Power: 13HP
- High Pressure Hose: 8mm×10m
- N. W /G. W: 95/105KG
- Carton Dimension: 90×55×67CM

Ordering Information

Catalog No.	Model No.	Description
2001010	HL-3600D	3600 psi diesel high pressure washing machine with 4 wheels



Gasoline High Pressure Washing Machine

HL-3800G

Product Description

- Heavy-duty triplex pump with pressure loader valve, 3/8 out.
- 10mm (5/16in)×10m (30ft) steel braid high-pressure hose, 3/8 in
- Professional trigger gun with quick disconnect nozzles, spray patterns 0°, 15°, 25°, 40°.
- 15HP Key-start gasoline engine with low oil protection
- 1/2 gearbox speed reducer
- Pressure gauge optional

Specifications

- Model: HL-3800G
- Max Pressure: 3800psi /262bar
- Flow Rate: 5.8Gpm /22Lpm
- R. P. M: 1700
- Plunger Diameter: 22mm
- Stroke: 9mm
- Power: 15HP
- High Pressure Hose: 10mm×10m
- N. W /G. W: 80/85KG
- Carton Dimension: 84×53×55CM

Ordering Information

Catalog No.	Model No.	Description
2031010	HL-3800G	3800 psi diesel high pressure washing machine with 2 wheels



High Pressure Cleaning

Specifications

- Model: HL-3600GD
- Max Pressure: 3600psi /248bar
- Flow Rate: 4.8Gpm /18Lpm
- R. P. M: 3400
- Plunger Diameter: 15mm
- Stroke: 10mm
- Power: 13HP
- High Pressure Hose: 8mm×10m
- N. W /G. W: 95/100KG
- Carton Dimension: 90×55×67CM

HL-3600GD



Ordering Information

Catalog No.	Model No.	Description
2031011	HL-3600GD	3600 psi gasoline high pressure washing machine with 4 wheels

Specifications

Model No.	Max Pressure: psi/bar	Flow Rate: Gpm /Lpm	R. P. M	Plunger Diameter	Stroke	Power	High Pressure Hose	N. W /G. W:KG	Carton Dimension: CM
HL-3100GB	3100 /215	4.8 /18	3400	15mm	10mm	9HP	8mm×10m	51/55	80×50×60
HL-3600GB	3600 /248	4.8 /18	3400			13HP	8mm×10m	55/59	80×50×60
HL-4000GB	4000 /275	4.8 /18	3400			15HP	8mm×10m	60/65	80×50×60

Ordering Information

Catalog No.	Model No.	Description
2031212	HL-3100GB	3100 psi gasoline high pressure washing machine with 2 wheels
2031213	HL-3600GB	3600 psi gasoline high pressure washing machine with 2 wheels
2031214	HL-4000GB	4000 psi gasoline high pressure washing machine with 2 wheels



HL-3100GB

Specifications

- Model: HL-2800GB-2000
- Max Pressure: 2800psi /193bar
- Flow Rate: 3.4Gpm/13Lpm
- R. P. M: 3400
- Plunger Diameter: 15mm
- Stroke: 7mm
- Power: 6.5HP
- High Pressure Hose: 8mm×10m
- N. W /G. W: 35/37KG
- Carton Dimension: 68×42×54CM

HL-2800GB-2000



Ordering Information

Catalog No.	Model No.	Description
2031310	HL2800GB-2000	2800 psi gasoline high pressure washing machine with 2 wheels

Specifications

- Model: HL-2800GB
- Max Pressure: 2800psi /193bar
- Flow Rate: 2.6Gpm /9.8Lpm
- R. P. M: 3400
- Plunger Diameter: 14mm
- Stroke: 7mm
- Power: 6.5HP
- High Pressure Hose: 6mm×8m
- N. W /G. W: 32/35KG
- Carton Dimension: 68×42×54CM

HL-2800GB



Ordering Information

Catalog No.	Model No.	Description
2031211	HL-2800GB	2800 psi gasoline high pressure washing machine with 2 wheels

High Pressure Cleaning

Specifications

- Model: HL-2500GA
- Max Pressure: 2500psi /172bar
- Flow Rate: 2.6Gpm /9.8Lpm
- R. P. M: 3400
- Plunger Diameter: 14mm
- Stroke: 6mm
- Power: 6.5HP
- High Pressure Hose: 6mm×8m
- N. W /G. W: 32/35KG
- Carton Dimension: 60×48×56CM

Ordering Information

Catalog No.	Model No.	Description
2031410	HL-2500GA	2500 psi gasoline high pressure washing machine with 2 wheels

HL-2500GA



Specifications

- Model: HL-2200GB
- Max Pressure: 2200psi /150bar
- Flow Rate: 2.6Gpm /9.8Lpm
- R. P. M: 3400
- Plunger Diameter: 14mm
- Stroke: 6mm
- Power: 5.5HP
- High Pressure Hose: 6mm×8m
- N. W /G. W: 31/34KG
- Carton Dimension: 68×42×54CM

Ordering Information

Catalog No.	Model No.	Description
2031210	HL-2200GB	2200 psi gasoline high pressure washing machine with 2 wheels

HL-2200GB



Electric High Pressure Washing Machine

HL-3600MA

Product Description

- Performance-approved aluminium cage motor, fan cooling, IP 55, 7.5KW, voltage and frequency for options
- Heavy-duty triplex pump with pressure loader valve, 3/8 out.
- 8mm (5/16in)×10m (30ft) steel braid high-pressure hose, 3/8 in
- Professional trigger gun with quick disconnect nozzles, spray patterns 0°, 25°, 40°and 60°.
- Pressure gauge optional

Ordering Information

Catalog No.	Model No.	Description
2041030	HL-2800MA	2800 psi electric high pressure washing machine with 2 wheels, AC380V
2041031	HL-3100MA	3100 psi electric high pressure washing machine with 2 wheels, AC380V
2041032	HL-3600MA	3600 psi electric high pressure washing machine with 2 wheels, AC380V
2041033	HL-4000MA	4000 psi electric high pressure washing machine with 2 wheels, AC380V



Specifications

Model No.	Max Pressure: psi/bar	Flow Rate: Gpm /Lpm	R. P. M	Plunger Diameter	Stroke	Power	High Pressure Hose	N. W /G. W:KG	Carton Dimension: CM
HL-2800MA	2800 /193	2.5 /10	1440	15mm	12mm	4KW	8mm×10m	51/55	69×40×50
HL-3100MA	3100 /213	3.0 /11	1440	18mm	10mm	5.5KW	8mm×10m	75/80	85×46×48
HL-3600MA	3600 /248	3.7 /14	1440	18mm	12mm	7.5KW	8mm×10m	80/85	85×46×48
HL-4000MA	4000 /275	5.8 /22	1440	22mm	13mm	11KW	10mm×10m	100/105	85×46×54

High Pressure Cleaning

Specifications

Model No.	Max Pressure: psi/bar	Flow Rate: Gpm /Lpm	R. P. M	Plunger Diameter	Stroke	Power	High Pressure Hose	N. W /G. W:KG	Carton Dimension: CM
HL-2800MB-25	2800 /193	6.5 /25	1440	22mm	13mm	7.5KW	10mm×10m	90/95	85×46×54
HL-3100MB	3100 /213	3.0 /11	1440	18mm	10mm	5.5KW	8mm×10m	75/80	85×46×54
HL-3600MB	3600 /248	3.7 /14	1440	18mm	12mm	7.5KW	8mm×10m	80/85	85×46×54

Ordering Information

Catalog No.	Model No.	Description
2041130	HL-2800MB-25	2800 psi electric high pressure washing machine with 2 wheels, AC380V
2041131	HL-3100MA	3100 psi electric high pressure washing machine with 2 wheels, AC380V
2041132	HL-3600MA	3600 psi electric high pressure washing machine with 2 wheels, AC380V
2041133	HL-4000MA	4000 psi electric high pressure washing machine with 2 wheels, AC380V



Specifications

- Model: HL-1309M
- Max Pressure: 1800psi /130bar
- Flow Rate: 2.4Gpm /9.2Lpm
- R. P. M: 2800
- Plunger Diameter: 14mm
- Stroke: 7mm
- Power: 2.2KW
- High Pressure Hose: 6mm×8m
- N. W /G. W: 33/36KG
- Carton Dimension: 66×42×36CM



Ordering Information

Catalog No.	Model No.	Description
2043420	HL-1309M	1800 psi electric high pressure washing machine with 2 wheels, AC220V
2043410	HL-1309M	1800 psi electric high pressure washing machine with 2 wheels, AC110V (MOQ: 20sets)
2043421	HL-1309M	1800 psi electric high pressure washing machine with 2 wheels, AC240V (MOQ: 20sets)

High Pressure Cleaning

Specifications

Model No.	Max Pressure: psi/bar	Flow Rate: Gpm /Lpm	R. P. M	Plunger Diameter	Stroke	Power	High Pressure Hose	N. W / G. W:KG	Carton Dimension: CM
HL-2200MB	2200 /150	2.4 /9.2	1440	15mm	10mm	2.2/ 3.0KW	8mm×10m	48/53	74×38×42
HL-2200MB	1200 /80	4.0 /15	1440	18mm	14mm	2.2/ 3.0KW	8mm×10m	48/53	74×38×42

Ordering Information

Catalog No.	Model No.	Description
2041230	HL-2200MB (3KW)	2200 psi electric washing machine, AC380V
2041220	HL-2200MB (2.2KW)	2200 psi electric washing machine, AC220V
2041210	HL-2200MB (2.2KW)	2200 psi electric washing machine, AC110V (MOQ: 20sets)
2041221	HL-2200MB (2.2KW)	2200 psi electric washing machine, AC240V (MOQ: 20sets)
2041231	HL-R2200MB (3KW)	1200 psi electric washing machine, AC380V
2041222	HL-R2200MB (2.2KW)	1200 psi electric washing machine, AC220V
2041211	HL-R2200MB (2.2KW)	1200 psi electric washing machine, AC110V (MOQ: 20sets)
2041223	HL-R2200MB (2.2KW)	1200 psi electric washing machine, AC240V (MOQ: 20sets)



Specifications

Model No.	Max Pressure: psi/bar	Flow Rate: Gpm /Lpm	R. P. M	Plunger Diameter	Stroke	Power	High Pressure Hose	N. W / G. W:KG	Carton Dimension: CM
HL-2200M/G	2200 /150	2.4 /9.2	1440	15mm	10mm	3.0KW	8mm×10m	48/53	74×38×42
HL-2200M/G	1200 /80	4.0 /15	1440	18mm	14mm	2.2KW /3.0KW	8mm×10m	48/53	74×38×42

Ordering Information

Catalog No.	Model No.	Description
2041330	HL-2200M/G (3KW)	2200 psi electric washing machine, AC380V
2041320	HL-2200M/G (2.2KW)	2200 psi electric washing machine, AC220V
2041310	HL-2200M/G (2.2KW)	2200 psi electric washing machine, AC110V (MOQ: 20sets)
2041321	HL-2200M/G (2.2KW)	2200 psi electric washing machine, AC240V (MOQ: 20sets)
2041331	HL-2200M/G (3KW)	1200 psi electric washing machine, AC380V
2041322	HL-2200M/G (2.2KW)	1200 psi electric washing machine, AC220V
2041311	HL-2200M/G (2.2KW)	1200 psi electric washing machine, AC110V (MOQ: 20sets)
2041323	HL-2200M/G (2.2KW)	1200 psi electric washing machine, AC240V (MOQ: 20sets)



High Pressure Cleaning

Specifications

- Model: HL-1800M
- Max Pressure: 1200psi /80bar
- Flow Rate: 2.8Gpm/10.7Lpm
- R. P. M: 2800
- Plunger Diameter: 15mm
- Stroke: 7mm
- Power: 2.2KW
- High Pressure Hose: 8mm×10m
- N. W /G. W: 36/39KG
- Carton Dimension: 61×44×40CM



HL-1800M

Ordering Information

Catalog No.	Model No.	Description
2043520	HL-1800M	1200 psi electric high pressure washing machine with 2 wheels, AC220V
2043510	HL-1800M	1200 psi electric high pressure washing machine with 2 wheels, AC110V (MOQ: 20sets)
2043521	HL-1800M	1200 psi electric high pressure washing machine with 2 wheels, AC240V (MOQ: 20sets)

Specifications

- Model: HL-1022M
- Max Pressure: 1500psi /100bar
- Flow Rate: 3.9Gpm/15Lpm
5.2Gpm/20Lpm
- R. P. M: 1450
- Plunger Diameter: 22mm
- Stroke: 9mm/11mm
- Power: 3.0/4.0KW
- High Pressure Hose: 8mm×10m
- N. W /G. W: 60/64KG
- Carton Dimension: 80×43×43CM



HL-1022M

Ordering Information

Catalog No.	Model No.	Description
2041430	HL-1022M (4KW)	1500 psi electric high pressure washing machine with 2 wheels, AC380V
2041420	HL-1022M (3KW)	1500 psi electric high pressure washing machine with 2 wheels, AC220V
2041410	HL-1022M (3KW)	1500 psi electric high pressure washing machine with 2 wheels, AC110V (MOQ: 20sets)
2041421	HL-1022M (3KW)	1500 psi electric high pressure washing machine with 2 wheels, AC240V (MOQ: 20sets)

High Pressure Cleaning

Specifications

Model No.	Max Pressure: psi/bar	Flow Rate: Gpm /Lpm	R. P. M	Plunger Diameter	Stroke	Power	High Pressure Hose	N. W / G. W:KG	Carton Dimension: CM
HL-5040M	750 /50	10.5/40	750	28mm	22mm	3.0KW	10mm×10m	58/62	80×48×40
HL-5030M	560 /40	7.9/30	680			2.2KW	10mm×10m	54/58	80×48×40

Ordering Information

Catalog No.	Model No.	Description
2041530	HL-5040M (3KW)	750 psi electric high pressure washing machine, AC380V
2041520	HL-5030M (2.2KW)	560 psi electric high pressure washing machine, AC220V
2041510	HL-5030M (2.2KW)	560 psi electric high pressure washing machine, AC110V (MOQ: 20sets)
2041521	HL-5030M (2.2KW)	560 psi electric high pressure washing machine, AC240V (MOQ: 20sets)



Specifications

- Model: HL-1200M
- Max Pressure: 1000psi / 70bar
- Flow Rate: 2.1Gpm / 8Lpm
- R. P. M: 2800
- Plunger Diameter: 12mm
- Stroke: 8mm
- Power: 1.1KW
- High Pressure Hose: 6mm×9m
- N. W /G. W: 16/18KG
- Carton Dimension: 45×32×31CM

HL-1200M



Ordering Information

Catalog No.	Model No.	Description
2041620	HL-1200M	1000 psi electric high pressure washing machine with 2 wheels, AC220V
2041610	HL-1200M	1000 psi electric high pressure washing machine with 2 wheels, AC110V (MOQ: 100sets)
2041621	HL-1200M	1000 psi electric high pressure washing machine with 2 wheels, AC240V (MOQ: 100sets)

High Pressure Cleaning

DQX-35

Product Description

- With brass single outlet cylinder
- Brass piston pump
- Metal gun with nozzle
- Standard with pressure gauge
- Auto shutoff function options
- Trigger gun options

Specifications

- Pressure: 35bar /500psi
- Flow Rate: 2.9Lpm /0.74Gpm
- R. P. M: 1440r/min
- Plunger Diameter: 25mm
- Stroke: 4mm
- Pump: brass piston pump
- Drive: Direct
- Power: 250W
- High Pressure Gun: Metal Gun
- High Pressure Hose: \varnothing 14mmx10m
- Size: 39x29x29cm
- N. W/G. W: 13/14kg

Ordering Information

Catalog No.	Model No.	Description
2043120	DQX-35	500psi electric high pressure washing machine, AC220V
2043110	DQX-35	500psi electric high pressure washing machine, AC110V
2043121	DQX-35	500psi electric high pressure washing machine, AC240V

Features for DQX-series washing machines

- High efficiency with low power consumption
- Steady pressure out-put, guarantee steady working performance
- Light weight and portable with compact structure
- Suitable for various water-washing related applications



DX-40

Product Description

- With brass single outlet cylinder
- Brass piston pump
- Bending metal gun with nozzle
- Standard with pressure gauge
- Trigger gun optional

Specifications

- Pressure: 35bar /500psi
- Flow Rate: 7.5Lpm /1.92Gpm
- R. P. M: 1430r/min
- Plunger Diameter: 20mm
- Stroke: 7mm
- Pump: brass piston pump
- Drive: Direct
- Power: 370W
- High Pressure Gun: Metal Gun
- High Pressure Hose: \varnothing 14mmx10m
- Size: 35x28x29cm
- N. W/G. W: 12/13kg



Ordering Information

Catalog No.	Model No.	Description
2043220	DX-40	500psi electric high pressure washing machine, AC220V
2043210	DX-40	500psi electric high pressure washing machine, AC110V
2043221	DX-40	500psi electric high pressure washing machine, AC240V

High Pressure Cleaning

DQX-60

Product Description

- With brass double outlet cylinder
- Brass piston pump
- Bending metal gun with nozzle
- Standard with pressure gauge
- Auto shut off function optional
- Trigger gun optional

Specifications

- Pressure: 40bar /580psi
- Flow Rate: 6Lpm /2.4Gpm
- R. P. M: 1430r/min
- Plunger Diameter: 25mm
- Stroke: 4mm
- Pump: brass piston pump
- Drive: Direct
- Power: 400W
- High Pressure Gun: Metal Gun
- High Pressure Hose: Ø14mmx10m
- Size: 39x29x29cm
- N. W/G. W: 17/18kg



Ordering Information

Catalog No.	Model No.	Description
2043320	DQX-60	580psi electric high pressure washing machine, AC220V
2043310	DQX-60	580psi electric high pressure washing machine, AC110V
2043321	DQX-60	580psi electric high pressure washing machine, AC240V

Pressure Guns for Selection



Pressure Hoses for Selection



01 GX 6×9



02 GX 8×9



03 GX 6×9



04 GX 8×9



05 drum for hoses



06 GX 6×8



07 GX 8×10



08 GX 10×10